

Ultra® Full Synthetic Multi-Vehicle ATF with CVT Coverage – Applications Suitable for Use

Type	OEM	APPLICATION	VIS
ATF	AISIN	AW-1	Low
ATF	AISIN	AW-2	Ultra
ATF	AISIN	JWS 3309 ATF, ATF-OT4	High
ATF	AISIN	JWS 3324 ATF, ATF-OVS	Low
ATF	Allison	C2	High
ATF	Allison	C3	High
ATF	Allison	C4	High
ATF	Aston Martin	P/N FD33-19A509-AA	Low
ATF	ATF	134	Low
ATF	ATF	3292	High
ATF	ATF	3353	Low
ATF	ATF	4134	Low
ATF	ATF	3100 PL085	High
ATF	ATF	3403-M115	High
ATF	ATF	AS8	Low
ATF	ATF	D97	Ultra
ATF	ATF	D971	Ultra
ATF	ATF	ETL-7045 E	High
ATF	ATF	K17	High
ATF	ATF	L12108	Low
ATF	ATF	LA 2634	High
ATF	ATF	M-1375.4	Low
ATF	ATF	M-1375.6	Low
ATF	ATF	N402	High
ATF	ATF	SP-III	High
ATF	ATF	TQ95	High
ATF	Bentley	JNV 862 564 D	Low
ATF	Bentley	P/N PY112995PA	Low
ATF	BMW	ATF 2	Low
ATF	BMW	ATF 3+	Low
ATF	BMW	ATF 4	High
ATF	BMW	ATF 6	Low
ATF	BMW	ATF 7	Ultra
ATF	BMW	ETL-7045	High
ATF	BMW	ETL-7045 E	High
ATF	BMW	ETL-8072B	High

Type	OEM	APPLICATION	VIS
ATF	BMW	LA 2634	High
ATF	BMW	LT 71141	High
ATF	BMW	M-L12108	Low
ATF	BMW	P/N 81 22 9 400 272	High
ATF	BMW	P/N 81 22 9 400 275	High
ATF	BMW	P/N 81 22 9 407 738	High
ATF	BMW	P/N 81 22 9 407 858/859	High
ATF	BMW	P/N 83 22 0 024 249	High
ATF	BMW	P/N 83 22 0 024 359	High
ATF	BMW	P/N 83 22 0 026 922	High
ATF	BMW	P/N 83 22 0 142 516	Low
ATF	BMW	P/N 83 22 0 144 137	Low
ATF	BMW	P/N 83 22 0 397 114	Low
ATF	BMW	P/N 83 22 0 402 413	High
ATF	BMW	P/N 83 22 0 403 248	High
ATF	BMW	P/N 83 22 0 403 249	High
ATF	BMW	P/N 83 22 0 432 807	Low
ATF	BMW	P/N 83 22 2 152 426	Low
ATF	BMW	P/N 83 22 2 163 514	Low
ATF	BMW	P/N 83 22 2 167 718	Low
ATF	BMW	P/N 83 22 2 167 720	Low
ATF	BMW	P/N 83 22 2 220 438/440	High
ATF	BMW	P/N 83 22 2 220 442	High
ATF	BMW	P/N 83 22 2 220 443	Low
ATF	BMW	P/N 83 22 2 289 720	Low
ATF	BMW	P/N 83 22 2 305 396	Low
ATF	BMW	P/N 83 22 2 305 397	Low
ATF	BMW	P/N 83 22 2 355 599	Low
ATF	BMW	P/N 83 22 2 355 601	Low
ATF	BMW	P/N 83 22 2 413 477	Ultra
ATF	BMW	P/N 83 22 7 542 290	High
ATF	BMW	P/N 83 22 9 407 765	High
ATF	BMW	P/N 83 22 9 407 807	High
ATF	Bosch Bosch	TE-ML 09	High
ATF	DAIHATSU	Ammix ATF DIII	High
ATF	DAIHATSU	D3-SP	High



420 Imperial Court, Bensalem, PA 19020 • 800-660-0761 • sunocolubres.com

Ordering:
orders@sunocolubres.com

Technical Assistance:
technical@sunocolubres.com

General Inquiries:
lubricants@sunocolubres.com

The data and OEM specifications listed are to the best of our knowledge accurate. This information listed is typical data and should not be considered a product standard nor a standard upon which acceptance or rejection of delivered product is to be based. It is the owner's responsibility to consult their equipment owner's manual and select the proper lubricant and viscosity grade for given application. This data is subject to change without notification. 3/26

For more information, go to
Sunocolubres.com, or scan:



Ultra® Full Synthetic Multi-Vehicle ATF with CVT Coverage – Applications Suitable for Use

Type	OEM	APPLICATION	VIS
ATF	Daimler	DTFR 13C100 [Sheet 236.1]	High
ATF	Daimler	DTFR 13C110 [Sheet 236.11]	High
ATF	Daimler	DTFR 13C120 [Sheet 236.2]	High
ATF	DSI	P/N 0578-244021	High
ATF	FCA	8 & 9 Speed ATF, P/N 68218925AA/AB	Low
ATF	FCA	ASRC	High
ATF	FCA	ATF+	High
ATF	FCA	ATF+2	High
ATF	FCA	ATF+3	High
ATF	FCA	ATF+4	High
ATF	FCA	AW-1, P/N 68092912AA	Low
ATF	FCA	Dex-VI, P/N 68043742AA	Low
ATF	FCA	Fiat 9.55550-AV1	High
ATF	FCA	Fiat 9.55550-AV2	Low
ATF	FCA	Fiat 9.55550-AV4	High
ATF	FCA	Fiat 9.55550-AV5	Low
ATF	FCA	Fiat 9.55550-AV6	Low
ATF	FCA	MB 236.10/12, P/N 05127382AA	High
ATF	FCA	P/N 05127382	Low
ATF	FCA	P/N 68157995AA/AB	Low
ATF	FCA	P/N 68333587AA	High
ATF	FCA	SP-4, P/N 68171866AA	Low
ATF	FCA	SP-III	High
ATF	FCA	SP-IV, P/N 68171866AA	Low
ATF	FCA	SP-IV, P/N 68171869AA	Low
ATF	FCA	SP-IV-M, P/N 68171866AB	Low
ATF	FCA	SP-IV-M1	Low
ATF	FCA	Type 7176E	High
ATF	FCA	Type 9602	High
ATF	Fiat	Tipo T-IV	High
ATF	Ford	ESP-M2C138-CJ	High
ATF	Ford	ESP-M2C166-H	High
ATF	Ford	P/N XT-10-QLV [LV]	Low
ATF	Ford	P/N XT-12-ULV [ULV]	Ultra
ATF	Ford	P/N XT-2-QDX [M]	High
ATF	Ford	P/N XT-2-QSM [Syn]	High

Type	OEM	APPLICATION	VIS
ATF	Ford	P/N XT-5-QM [V]	High
ATF	Ford	P/N XT-5-QSM [V Syn]	High
ATF	Ford	P/N XT-6-QSP [SP]	Low
ATF	Ford	P/N XT-8-QAW [Premium]	High
ATF	Ford	P/N XT-9- QMM5 [FNR5]	High
ATF	Ford	Spec WSS-M2C922-A1	High
ATF	Ford	Spec WSS-M2C924-A [Premium]	High
ATF	Ford	WSS-M2C185-A	High
ATF	Ford	WSS-M2C202-B	High
ATF	Ford	WSS-M2C922-A1	High
ATF	Ford	WSS-M2C938-A	Low
ATF	Ford	WSS-M2C949-A	UltraS
ATF	GM	9986396	Ultra
ATF	GM	ATF Z1, Saturn P/N 22717466	High
ATF	GM	AW-1, P/N 19256039	Low
ATF	GM	Dex [GM 6032M]	High
ATF	GM	Dex HP [GMW 16974]	Low
ATF	GM	Dex ULV, P/N 19352619	Ultra
ATF	GM	Dex-B [GM 6032M]	High
ATF	GM	Dex-IIC [6137M]	High
ATF	GM	Dex-IID [GM 6137M]	High
ATF	GM	Dex-IIE [GM 6137M]	High
ATF	GM	Dex-IIIF [GM 6297M]	High
ATF	GM	Dex-IIIG [GM 6417M]	High
ATF	GM	Dex-IIIH [GM N10055]	High
ATF	GM	Dex-VI [GMW 16444]	Low
ATF	GM	P/N 19 40 700	High
ATF	GM	P/N 19 40 767	High
ATF	GM	P/N 1940771; 19 40 771	High
ATF	GM	P/N 1940773; 19 40 773	Low
ATF	GM	P/N 21005966	High
ATF	GM	P/N 88900925	High
ATF	GM	P/N 93160393	High
ATF	GM	P/N 9985010	High
ATF	GM	P/N 9986195	High
ATF	GM	Saturn P/N 22689186	High



420 Imperial Court, Bensalem, PA 19020 • 800-660-0761 • sunocolub.es.com

Ordering:
orders@sunocolub.es.com

Technical Assistance:
technical@sunocolub.es.com

General Inquiries:
lubricants@sunocolub.es.com

The data and OEM specifications listed are to the best of our knowledge accurate. This information listed is typical data and should not be considered a product standard nor a standard upon which acceptance or rejection of delivered product is to be based. It is the owner's responsibility to consult their equipment owner's manual and select the proper lubricant and viscosity grade for given application. This data is subject to change without notification. 3/26

For more information, go to
Sunocolub.es.com, or scan:



Ultra® Full Synthetic Multi-Vehicle ATF with CVT Coverage – Applications Suitable for Use

Type	OEM	APPLICATION	VIS
ATF	GM	Saturn P/N 22689186	High
ATF	GM	Saturn T-IV Fluid	High
ATF	GM	Type A Suffix A	High
ATF	GM	WS, P/N 88863400 / 88863401	Low
ATF	Honda/Acura	ATF DW-1 P/N 08200-9008	Low
ATF	Honda/Acura	ATF Type 3.0, P/N 08200-9016-A	Low
ATF	Honda/Acura	ATF Type 3.1 P/N 08200-9017	Low
ATF	Honda/Acura	ATF Z1, P/N 08200-9001	High
ATF	Honda/Acura	ATF Z1, P/N 08200-9001A	High
ATF	Hyundai/Kia	ATF RED-1K	High
ATF	Hyundai/Kia	ATF SP-IV	Low
ATF	Hyundai/Kia	ATF SP-IV-M	Low
ATF	Hyundai/Kia	ATF SP-IV-M1	Low
ATF	Hyundai/Kia	Genuine ATF	High
ATF	Hyundai/Kia	JWS 3314	High
ATF	Hyundai/Kia	P/N 00232-19023	High
ATF	Hyundai/Kia	P/N 040000C90SG	Low
ATF	Hyundai/Kia	P/N 04500-00140	High
ATF	Hyundai/Kia	P/N UM040 CH20 Red-1	High
ATF	Hyundai/Kia	SP	High
ATF	Hyundai/Kia	SP4-M1	Low
ATF	Hyundai/Kia	SPH-IV	Low
ATF	Hyundai/Kia	SPH-IV	Low
ATF	Hyundai/Kia	SPH-IV-RR	Low
ATF	Hyundai/Kia	SP-II	High
ATF	FCA	SP-IV-M, P/N 68171866AB	Low
ATF	FCA	SP-IV-M1	Low
ATF	FCA	Type 7176E	High
ATF	FCA	Type 9602	High
ATF	Hyundai/Kia	SP-III	High
ATF	Hyundai/Kia	SP-IV	Low
ATF	Hyundai/Kia	SP-IV-RR	Low
ATF	Hyundai/Kia	WS, spec NWS-9638	Low
ATF	Isuzu	ATF II	High
ATF	Isuzu	ATF III	High
ATF	Isuzu	ATF WSI	Low

Type	OEM	APPLICATION	VIS
ATF	Isuzu	Genuine ATF	High
ATF	Isuzu	P/N 08200-9001	High
ATF	Isuzu	P/N 58770 30010	Low
ATF	Isuzu	SCS	Low
ATF	Iveco	P/N 5000 42 124	Low
ATF	Jaguar	02JDE 26444	Low
ATF	Jaguar	Fluid 8432	Low
ATF	Jaguar	JLM 20238	High
ATF	Jaguar	JLM 20292	High
ATF	Jaguar	JLM 21044	High
ATF	Jaguar	K17, Jatco 3100 PL085	High
ATF	Jaguar	LT 71141	High
ATF	Jaguar	WSS-M2C922-A1	High
ATF	JAMA	JASO M315, Type 1-A	High
ATF	JAMA	JASO M315, Type 1-A-LV	Low
ATF	Land Rover	ATF N402	High
ATF	Land Rover	AW-1 P/N LR0022460: LV	Low
ATF	Land Rover	JWS3309US	High
ATF	Land Rover	P/N TYK500050	Low
ATF	Land Rover	STC4863	High
ATF	Land Rover	LR023288/023289	Low
ATF	MAN	339A	High
ATF	MAN	339D	High
ATF	MAN	339F	High
ATF	Maserati	Oil No. 231603	Low
ATF	Mazda	ATF A7	Ultra
ATF	Mazda	ATF FZ	Low
ATF	Mazda	ATF M-5 P/N 0000-23-ATF -M5	High
ATF	Mazda	ATF N-1	High
ATF	Mazda	ATF S-1	High
ATF	Mazda	F-1	High
ATF	Mazda	JWS 3317	High
ATF	Mazda	M3	High
ATF	Mazda	Type T-IV, JWS 3309 ATF	High
ATF	Mercedes	A 0019892203	High
ATF	Mercedes	ATF 134FE	Ultra

A not S



420 Imperial Court, Bensalem, PA 19020 • 800-660-0761 • sunocolubres.com

Ordering:
orders@sunocolubres.com

Technical Assistance:
technical@sunocolubres.com

General Inquiries:
lubricants@sunocolubres.com

The data and OEM specifications listed are to the best of our knowledge accurate. This information listed is typical data and should not be considered a product standard nor a standard upon which acceptance or rejection of delivered product is to be based. It is the owner's responsibility to consult their equipment owner's manual and select the proper lubricant and viscosity grade for given application. This data is subject to change without notification. 3/26

For more information, go to
Sunocolubres.com, or scan:



Ultra® Full Synthetic Multi-Vehicle ATF with CVT Coverage – Applications Suitable for Use

Type	OEM	APPLICATION	VIS
ATF	Mercedes	ATF 3403-M115	High
ATF	Mercedes	ATF A 000 989 65 05	Low
ATF	Mercedes	P/N 000 989 92 03	Low
ATF	Mercedes	P/N 001 989 07 03	Low
ATF	Mercedes	P/N 001 989 21 03 10	Low
ATF	Mercedes	P/N 001 989 45 03	Low
ATF	Mercedes	P/N 001 989 45 03 10	Low
ATF	Mercedes	P/N 001 989 45 03 13	Low
ATF	Mercedes	P/N 001 989 68 03 10	Low
ATF	Mercedes	P/N 001 989 68 03 15	Low
ATF	Mercedes	P/N 001 989 68 03 18	Low
ATF	Mercedes	Sheet 236.1	High
ATF	Mercedes	Sheet 236.10	High
ATF	Mercedes	Sheet 236.11	High
ATF	Mercedes	Sheet 236.12	Low
ATF	Mercedes	Sheet 236.14	Low
ATF	Mercedes	Sheet 236.15	Ultra
ATF	Mercedes	Sheet 236.16	Ultra
ATF	Mercedes	Sheet 236.17	Ultra
ATF	Mercedes	Sheet 236.2	High
ATF	Mercedes	Sheet 236.41	Low
ATF	Mercedes	Sheet 236.5	High
ATF	Mercedes	Sheet 236.82	Low
ATF	Mini	ATF JWS 3309, P/N 83 22 0 402 413	High
ATF	Mitsubishi	ATF-J2	High
ATF	Mitsubishi	ATF-J3	Low
ATF	Mitsubishi	Dia Queen ATF-MA1, P/N MZ320775	Low
ATF	Mitsubishi	Dia Queen ATF-PA, P/N 4030401	Low
ATF	Mitsubishi	Dia Queen AW	High
ATF	Mitsubishi	DII/DIII	High
ATF	Mitsubishi	M4024610	High
ATF	Mitsubishi	SP, P/N MS991156	High
ATF	Mitsubishi	SP-II	High
ATF	Mitsubishi	SP-III	High
ATF	Mitsubishi	SP-IV	Low
ATF	Nissan	Fluid A	High

Type	OEM	APPLICATION	VIS
ATF	Nissan	Matic D	High
ATF	Nissan	Matic J, P/N 999MP-MTJ00P	High
ATF	Nissan	Matic K	High
ATF	Nissan	Matic P, P/N 999MP-MTP10P	Ultra
ATF	Nissan	Matic R, P/N 999MP-MTR00P	Low
ATF	Nissan	Matic S, P/N 999MP-MTS00P	Low
ATF	Nissan	Matic W	Low
ATF	Nissan	N402	High
ATF	Porsche	JWS 3309, P/N 000 043 205 28	High
ATF	Porsche	LT 71141	High
ATF	Porsche	P/N 000 043 204 41	High
ATF	Porsche	P/N 000 043 204 63	High
ATF	Porsche	P/N 000 043 205 09	High
ATF	Porsche	P/N 000 043 210 54	Low
ATF	Porsche	P/N 000 043 304 00/01	Low
ATF	Porsche	P/N 000 043 305 42	High
ATF	Porsche	P/N 000 043 305 43	Low
ATF	Porsche	P/N 000 043 305 54	Low
ATF	Porsche	P/N 000 043 306 24	Low
ATF	Porsche	P/N 958 300 540 00	Low
ATF	Porsche	P/N 958 300 901 00	High
ATF	Porsche	P/N 999 917 547 00 (A2)	High
ATF	Renault	ATF J6	Low
ATF	Renault	DP-0	High
ATF	Renault	Matic D2	High
ATF	Renault	SATF-D	High
ATF	Rolls Royce	Oil No. PL 31493PA	High
ATF	Saab	ATF HP	High
ATF	Saab	JWS 3309	High
ATF	Saab	P/N 93 160 393	High
ATF	Saab	P/N 93 165 147	Low
ATF	Saturn	Dex-IIIIG	High
ATF	Saturn	T-IV Fluid, P/N 22689186	High
ATF	Ssangyong	DSIH 5M-52	High
ATF	Ssangyong	DSIH 5M-66	High
ATF	Stellantis	PSA 16 350 560 80	Ultra



420 Imperial Court, Bensalem, PA 19020 • 800-660-0761 • sunocolub.es.com

Ordering:
orders@sunocolub.es.com

Technical Assistance:
technical@sunocolub.es.com

General Inquiries:
lubricants@sunocolub.es.com

The data and OEM specifications listed are to the best of our knowledge accurate. This information listed is typical data and should not be considered a product standard nor a standard upon which acceptance or rejection of delivered product is to be based. It is the owner's responsibility to consult their equipment owner's manual and select the proper lubricant and viscosity grade for given application. This data is subject to change without notification. 3/26

For more information, go to
Sunocolub.es.com, or scan:



Ultra® Full Synthetic Multi-Vehicle ATF with CVT Coverage – Applications Suitable for Use

Type	OEM	APPLICATION	VIS
ATF	Stellantis	PSA AL4 / 4HP20, P/N 9730AE	High
ATF	Stellantis	PSA B71 2340	High
ATF	Stellantis	PSA Citroen Z 000169756	High
ATF	Stellantis	PSA Peugeot P/N Z 000169756	High
ATF	Subaru	ATF HP, P/N K0140Y0700	High
ATF	Subaru	ATF-WS	Low
ATF	Subaru	P/N SOA635040	High
ATF	Suzuki	AT Oil AW-1	Low
ATF	Suzuki	ATF 2326	High
ATF	Suzuki	ATF 2384K	High
ATF	Suzuki	ATF 3314	High
ATF	Suzuki	ATF 3317	High
ATF	Suzuki	ATF 5D06	High
ATF	Suzuki	JWS 3309	High
ATF	Suzuki	Matic D	High
ATF	Suzuki	Matic J	High
ATF	Suzuki	Matic S	Low
ATF	Toyota	ATF 3+	Low
ATF	Toyota	ATF FZ	Low
ATF	Toyota	JWS 3309, Type T-IV, P/N 08886-81015	High
ATF	Toyota	JWS 3324, ATF WS	Low
ATF	Toyota	NWS9638	Low
ATF	Toyota	Type D-II	High
ATF	Toyota	Type T	High
ATF	Toyota	Type T-II	High
ATF	Toyota	Type T-III	High
ATF	Volvo	P/N 1161521	High
ATF	Volvo	P/N 1161540	High
ATF	Volvo	P/N 1161621	High
ATF	Volvo	P/N 1161640	High
ATF	Volvo	P/N 31 256 774, 31 256 775	Low
ATF	Volvo	P/N 31 492 172	Ultra
ATF	Volvo	P/N 31 492 173	Ultra
ATF	VW/Audi	G 052 025	High
ATF	VW/Audi	G 052 162 (-A1, -A2) [AG4]	High
ATF	VW/Audi	G 052 533	Low

Type	OEM	APPLICATION	VIS
ATF	VW/Audi	G 052 990 A2	High
ATF	VW/Audi	G 053 001 A2	Ultra
ATF	VW/Audi	G 055 005 A2	Low
ATF	VW/Audi	G 055 025 (-A2)	High
ATF	VW/Audi	G 055 162 A2 or A6	Low
ATF	VW/Audi	G 055 540 A2	Low
ATF	VW/Audi	G 060 162 A2	Low
ATF	VW/Audi	G 060 540 A2	Ultra
ATF	VW/Audi	G US 000 162	High
ATF	VW/Audi	LT 71141	High
ATF	ZF	Lifeguard Hybrid 1 (ZF No. AA02.836.455)	Low
ATF	ZF	LifeguardFluid 5 (ZF No. S671 090 170)	High
ATF	ZF	LifeguardFluid 6 (ZF No. S671 090 255)	Low
ATF	ZF	LifeguardFluid 8 (ZF No. S671 090 312)	Low
ATF	ZF	LifeguardFluid 9 (ZF No. AA01.500.001)	Low
ATF	ZF	TE-ML 11A	High
ATF	ZF	TE-ML 11B	High
CVTF	BMW	Mini CVT EZL 799/799A Fluid	High
CVTF	BMW	Mini P/N 83 22 0 136 376	High
CVTF	BMW	Mini P/N 83 22 0 429 154	High
CVTF	BMW	Mini P/N 83 22 2 344 207	High
CVTF	Chery	CVTF	Low
CVTF	Chery	CVTF WCF-1	Low
CVTF	CVTF	SP-III	High
CVTF	Daihatsu	Ammix CVTF DFE	Low
CVTF	Daihatsu	Ammix CVTF DTC	High
CVTF	FCA	CVTF+4, P/N 05191184AA	High
CVTF	Fiat	CVTF NG	Low
CVTF	Fiat	Spec 9.55550-AG4	Low
CVTF	Ford	Merc C	High
CVTF	Ford	Motorcraft CVTF	High
CVTF	Ford	P/N WSD-M2C199-A	Low
CVTF	Ford	P/N XT-7-QCFT	High
CVTF	Ford	S-CVT	High
CVTF	Ford	Spec. WSS-M2C928-A, CFT23	High
CVTF	Ford	Spec. WSS-M2C933-A, CFT30	High



420 Imperial Court, Bensalem, PA 19020 • 800-660-0761 • sunocolub.es.com

Ordering:
orders@sunocolub.es.com

Technical Assistance:
technical@sunocolub.es.com

General Inquiries:
lubricants@sunocolub.es.com

The data and OEM specifications listed are to the best of our knowledge accurate. This information listed is typical data and should not be considered a product standard nor a standard upon which acceptance or rejection of delivered product is to be based. It is the owner's responsibility to consult their equipment owner's manual and select the proper lubricant and viscosity grade for given application. This data is subject to change without notification. 3/26

For more information, go to
Sunocolub.es.com, or scan:



Ultra® Full Synthetic Multi-Vehicle ATF with CVT Coverage – Applications Suitable for Use

Type	OEM	APPLICATION	VIS
CVTF	GM	AC Delco CVT Fluid, P/N 19260800	Low
CVTF	GM	Dex HP CVTF, P/N 19355873	High
CVTF	GM	Dex-CVT Fluid, Saturn P/N 22688912	High
CVTF	GM	P/N 19299096	Low
CVTF	GM	P/N 1940713	High
CVTF	Honda	CVT Fluid	Low
CVTF	Honda	CVT-1, P/N 08200-9006	Low
CVTF	Honda	HCF-2, P/N 08200-HCF2	Low
CVTF	Honda	HMMF, P/N 08260-99904	High ^[1]
CVTF	Hyundai/Kia	CVTF SP-CVT1 Transmission Oil, P/N HY0450000A61	Low
CVTF	Hyundai/Kia	CVTF-J1	High
CVTF	Hyundai/Kia	SP-III [for CVTs]	High
CVTF	Mazda	CVTF 3320	High
CVTF	Mercedes	MB 236.20 CVT	High
CVTF	MG Rover	EM-CVTF	High
CVTF	Mitsubishi	CVTF- ECO J4, P/N MZ320262	Low
CVTF	Mitsubishi	CVTF-J1	High
CVTF	Mitsubishi	CVTF-J4, P/N MZ320185	Low
CVTF	Mitsubishi	CVTF-J4+, P/N MZ102652	Low
CVTF	Mitsubishi	SP-III [for CVTs]	High
CVTF	Nissan	NS-2	High
CVTF	Nissan	NS-2V	High
CVTF	Nissan	NS-3	Low
CVTF	Perodua	D-CVT	Low
CVTF	Punch	CVTF EX-1	High
CVTF	Punch	CVTF EZL 799A	High
CVTF	Punch	CVTF PN-3H	High

Type	OEM	APPLICATION	VIS
CVTF	Punch	CVT-PPT	High
CVTF	Renault	Elfmatic CVT	High
CVTF	Renault	Matic CVT FK/CK/DK	High
CVTF	Rongda	CVTF SL2100	Low
CVTF	SAIC	CVTF SL2100	Low
CVTF	Shanghai	GM Wuling CVTF SL2100	Low
CVTF	Subaru	CVT ATF C-30, P/N SOA868V9245	High
CVTF	Subaru	CVTF for Lineartronic II SOA427V1610	Low
CVTF	Subaru	CVTF for Lineartronic, P/N K0425Y0710	High
CVTF	Subaru	ECVTF	High
CVTF	Subaru	High Torque CVT, P/N K0421Y0700	High
CVTF	Subaru	iCVTF FG, P/N K0414Y0710	High
CVTF	Subaru	iCVTF, P/N K0415YA090	High
CVTF	Subaru	P/N SOA427V1600	High
CVTF	Subaru	P/N SOA427V1650	High
CVTF	Subaru	P/N SOA748V0200	High
CVTF	Suzuki	CVTF 4401	Low
CVTF	Suzuki	P/N 99000-22B62-045	Low
CVTF	Suzuki	Su-CVT fluid	High
CVTF	Suzuki	Suzuki CVT Fluid Green 1	High
CVTF	Suzuki	Suzuki CVT Fluid Green 2	Low
CVTF	Suzuki	VTF 3320, TC	High
CVTF	Toyota	CVT Fluid TC	High
CVTF	Toyota	CVT Fluid type FE	Low
CVTF	VW/Audi	G 052 180 (-A2)	High
CVTF	VW/Audi	G 052 516 A2	High
CVTF	WLY	CVTF WCF-1	Low
CVTF	ZF	CVT V1	High

^[1] Suitable without starting clutch

As ATF and CVTF specifications have diverse viscometric requirements, not all may be met with multi-vehicle products.



420 Imperial Court, Bensalem, PA 19020 • 800-660-0761 • sunocolub.es.com

Ordering:
orders@sunocolub.es.com

Technical Assistance:
technical@sunocolub.es.com

General Inquiries:
lubricants@sunocolub.es.com

The data and OEM specifications listed are to the best of our knowledge accurate. This information listed is typical data and should not be considered a product standard nor a standard upon which acceptance or rejection of delivered product is to be based. It is the owner's responsibility to consult their equipment owner's manual and select the proper lubricant and viscosity grade for given application. This data is subject to change without notification. 3/26

For more information, go to
Sunocolub.es.com, or scan:

